## **Amendment to the Claims**

Please amend claims 1 and 10 as shown in the following listing of claims. This listing of claims will replace all prior versions, and listings, of claims in the application.

1. (currently amended) A game controller comprising:

a moveable element having an optically readable pattern on a surface thereof, said moveable element moving relative to a fixed position and having a position characterized by a relative position of said moveable element relative to said fixed position;

an imaging element that forms an image of a sub-area on said surface, said sub-area being determined by said relative position of said moveable element relative to said fixed position;

a memory including a map that specifies said readable pattern in each sub-area on said surface that can be imaged by said imaging element, said map being a reference image of said surface of said moveable element that is larger than said image of said sub-area on said surface formed by said imaging element such that said image corresponds to a portion of said reference image; and

a controller configured to compare said image to said map to determine said position of said moveable element.

- 2. (original) The game controller of claim 1 wherein said pattern comprises a plurality of randomly distributed spots.
- 3. (previously presented) The game controller of claim 1 wherein said controller generates a signal indicative of a position of said movable element in terms of first and second orthogonal displacements from a reference position.
- 4. (original) The game controller of claim 1 wherein said controller generates a signal indicative of a rotation of said moveable element about a predetermined axis on said moveable element.
- 5. (original) The game controller of claim 4 wherein said moveable element

comprises a handle.

- 6. (original) The game controller of claim 5 wherein said handle comprises a shaft with a shaft axis parallel to said predetermined axis.
- 7. (original) The game controller of claim 5 wherein said handle further comprises a push button having a state that is sensed by said controller.
- 8. (original) The game controller of claim 1 wherein said map comprises a plurality of sub-maps that are rotated relative to one another.
- 9. (original) The game controller of claim 1 wherein said controller comprises a plurality of search processors, each search processor comparing a portion of said map with said image formed by said imaging element.
- 10. (currently amended) A game controller comprising:

a surface comprising optically readable features on at least a portion thereof, said surface further comprising a plurality of sub-areas, each sub-area containing a distinct arrangement of said optically readable features;

at least one imaging device;

wherein, said surface and said at least one imaging device are movable relative to one another;

wherein, said imaging device is capable of forming an image of said optically readable features in each of said sub-areas, the location of a sub-area being imaged by said imaging device at any given time determined by the relative positions of said surface and said imaging device at that time;

a memory storing a map that specifies images corresponding to each sub-area of said surface, said map being a reference image of said surface that is larger than said image of said optical readable features in each of said sub-areas of said surface formed by said imaging device such that said image corresponds to a portion of said reference image; and

a controller configured to compare an image acquired by said imaging device to said map to determine the relative positions of said surface and said imaging device.

- 11. (previously presented) The game controller of claim 10 wherein said optically readable features comprise a plurality of randomly distributed spots.
- 12. (previously presented) The game controller of claim 10 wherein said controller generates a signal indicative of a position of said surface in terms of first and second orthogonal displacements from a reference position.
- 13. (previously presented) The game controller of claim 10 wherein said controller generates a signal indicative of a rotation of said surface about a predetermined axis on said surface.
- 14. (previously presented) The game controller of claim 13 wherein said surface is located on a handle.
- 15. (previously presented) The game controller of claim 14 wherein said handle comprises a shaft with a shaft axis parallel to said predetermined axis.
- 16. (previously presented) The game controller of claim 14 wherein said handle further comprises a push button having a state that is sensed by said controller.
- 17. (previously presented) The game controller of claim 10 wherein said map comprises a plurality of sub-maps that are rotated relative to one another.
- 18. (previously presented) The game controller of claim 10 wherein said controller comprises a plurality of search processors, each search processor comparing a portion of said map with said image formed by said imaging device.